

Program LEQ Professional v. 6-2016 dla Windows

Projekt:

Z:\Amanowicz\05.09.2018\III etap\noc 4 m.dat

Dane do obliczeń :

Współczynnik gruntu (całego obszaru analizy)-global G = 0.000

Temperatura otoczenia 10[°C]

•różnica punktowe

Nr	X[m]	Y[m]	z[m]	Pma	Symbol
1	491.8	583.0	4.6	82.0	B5E1
2	486.0	564.0	4.6	82.0	B5E2
3	479.0	545.6	4.6	82.0	B5E3
4	474.8	535.8	1.6	89.4	B5E4
5	471.6	590.0	4.6	82.0	B6E1
6	465.6	571.0	4.6	82.0	B6E2
7	459.2	552.0	4.6	82.0	B6E3
8	455.4	542.4	1.6	89.7	B6E4
9	454.6	595.4	4.6	82.0	B7E1
10	448.6	577.0	4.6	82.0	B7E2
11	442.0	557.6	4.6	82.0	B7E3
12	438.8	548.0	1.6	89.4	B7E4
13	437.6	601.6	4.6	82.0	B8E1
14	430.6	582.6	4.6	82.0	B8E2
15	424.8	563.2	4.6	82.0	B8E3
16	421.6	553.2	1.6	89.4	B8E4
17	417.2	608.0	4.6	82.0	B9E1
18	410.8	588.6	4.6	82.0	B9E2
19	404.6	569.4	4.6	82.0	B9E3
20	400.6	560.4	1.6	89.4	B9E4
21	568.4	606.6	5.5	81.9	B10E1
22	395.9	618.6	0.5	71.2	B13E1
23	390.6	607.4	0.5	71.2	B13E2
24	389.8	596.5	0.5	71.2	B13E3
25	383.0	584.7	0.5	71.2	B13E4
26	381.1	573.2	0.5	71.2	B13E5
27	378.3	568.5	0.5	71.2	B13E6
28	371.6	626.4	0.5	71.2	B14E1
29	365.1	615.5	0.5	71.2	B14E2
30	364.3	603.8	0.5	71.2	B14E3
31	358.1	593.4	0.5	71.2	B14E4
32	356.7	580.5	0.5	71.2	B14E5
33	356.4	574.4	0.5	71.2	B14E6
34	346.4	635.1	0.5	71.2	B15E1
35	341.3	623.4	0.5	71.2	B15E2
36	340.2	611.0	0.5	71.2	B15E3
37	334.9	601.0	0.5	71.2	B15E4
38	332.4	588.6	0.5	71.2	B15E5
39	333.2	582.2	0.5	71.2	B15E6
40	322.6	642.4	0.5	71.2	B16E1
41	316.7	631.2	0.5	71.2	B16E2

42	314.2	620.0	0.5	71.2	B16E3
43	308.6	608.2	0.5	71.2	B16E4
44	308.3	596.2	0.5	71.2	B16E5
45	307.4	590.6	0.5	71.2	B16E6
46	296.8	650.5	0.5	71.2	B17E1
47	291.8	638.5	0.5	71.2	B17E2
48	289.5	626.7	0.5	71.2	B17E3
49	284.2	616.4	0.5	71.2	B17E4
50	282.5	604.0	0.5	71.2	B17E5
51	282.5	598.2	0.5	71.2	B17E6
52	360.1	715.9	5.6	82.0	B1E1
53	368.5	710.3	5.6	82.0	B1E2
54	378.6	709.4	5.6	82.0	B1E3
55	385.8	704.7	5.6	82.0	B1E4
56	396.5	704.1	5.6	82.0	B1E5
57	404.0	698.8	5.6	82.0	B1E6
58	415.0	698.5	5.6	82.0	B1E7
59	421.7	693.2	5.6	82.0	B1E8
60	431.8	693.5	5.6	82.0	B1E9
61	440.7	691.2	5.5	80.9	B1E10
62	439.9	686.8	5.5	80.9	B1E11
63	447.7	688.2	5.5	80.9	B1E12
64	447.4	684.8	5.5	80.9	B1E13
65	456.7	685.4	5.5	80.9	B1E14
66	455.3	680.9	5.5	76.9	B1E15
67	462.8	680.9	5.6	82.0	B2E1
68	472.9	679.8	5.6	82.0	B2E2
69	481.0	675.3	5.6	82.0	B2E3
70	490.3	673.9	5.6	82.0	B2E4
71	498.4	669.4	5.6	82.0	B2E5
72	508.5	666.0	5.6	82.0	B2E6
73	517.7	665.8	5.6	82.0	B2E7
74	525.0	660.7	5.6	82.0	B2E8
75	535.6	659.6	5.6	82.0	B2E9
76	542.4	654.6	5.6	82.0	B2E10
77	552.2	655.1	5.6	82.0	B2E11
78	559.4	649.0	5.6	82.0	B2E12
79	569.8	649.0	5.6	82.0	B2E13
80	320.6	692.6	5.8	76.9	B3E1
81	315.6	677.0	5.8	76.9	B3E2
82	328.2	690.4	5.8	76.9	B3E3
83	323.1	674.7	5.8	81.9	B3E4
84	336.6	688.7	5.8	81.9	B3E5
85	330.7	671.9	5.8	81.9	B3E6
86	344.1	685.6	5.8	81.9	B3E7
87	338.2	669.1	5.8	81.9	B3E8
88	351.7	682.8	5.8	81.9	B3E9
89	346.4	666.6	5.8	81.9	B3E10
90	359.2	680.3	5.8	81.9	B3E11
91	353.9	665.2	5.8	81.9	B3E12
92	367.4	678.6	5.8	81.9	B3E13
93	361.5	661.8	5.8	81.9	B3E14
94	374.6	675.8	5.8	81.9	B3E15
95	369.6	659.0	5.8	81.9	B3E16
96	384.2	672.2	5.8	81.9	B3E17
97	379.1	656.8	5.8	81.9	B3E18

98	391.4	670.5	5.8	81.9	B3E19
99	386.7	654.6	5.8	81.9	B3E20
100	400.1	667.4	5.8	81.9	B3E21
101	394.0	651.8	5.8	81.9	B3E22
102	407.4	665.2	5.8	81.9	B3E23
103	402.1	649.2	5.8	81.9	B3E24
104	414.7	663.0	5.8	81.9	B3E25
105	409.9	647.0	5.8	81.9	B3E26
106	423.4	660.4	5.8	81.9	B3E27
107	417.2	644.2	5.8	81.9	B3E28
108	429.2	658.2	5.8	81.9	B3E29
109	425.0	642.0	5.8	81.9	B3E30
110	437.9	655.7	5.8	81.9	B3E31
111	432.9	639.2	5.8	81.9	B3E32
112	444.6	653.4	5.8	81.9	B3E33
113	440.2	637.8	5.8	81.9	B3E34
114	448.3	652.9	5.8	76.9	B3E35
115	454.4	649.8	5.8	76.9	B4E1
116	448.3	634.1	5.8	81.9	B4E2
117	460.3	648.1	5.8	81.9	B4E3
118	454.7	632.4	5.8	81.9	B4E4
119	468.2	646.2	5.8	81.9	B4E5
120	462.8	630.2	5.8	81.9	B4E6
121	477.4	642.5	5.8	81.9	B4E7
122	472.1	626.8	5.8	81.9	B4E8
123	486.4	640.3	5.8	81.9	B4E9
124	480.5	624.3	5.8	81.9	B4E10
125	494.5	637.5	5.8	81.9	B4E11
126	489.4	621.5	5.8	81.9	B4E12
127	503.7	635.5	5.8	81.9	B4E13
128	498.4	619.0	5.8	81.9	B4E14
129	512.1	631.9	5.8	81.9	B4E15
130	507.1	616.5	5.8	81.9	B4E16
131	520.8	628.8	5.8	81.9	B4E17
132	514.9	613.1	5.8	81.9	B4E18
133	530.3	625.7	5.8	81.9	B4E19
134	525.6	610.0	5.8	81.9	B4E20
135	538.4	623.2	5.8	81.9	B4E21
136	534.8	607.2	5.8	81.9	B4E22

=====

•ród³a typu hala produkcyjna :

WSPÓRZĘDNE WIERZCHOŃKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
1	488.6	594.9	501.9	590.6	482.8	534.1	469.2	538.0	0.0	4.8
2	467.7	602.8	480.3	597.4	462.0	540.2	449.7	544.2	0.0	4.8
3	451.5	606.8	464.1	602.5	445.0	546.7	433.9	549.9	0.0	4.8
4	432.4	612.9	447.2	609.0	428.1	550.6	415.5	554.2	0.0	4.8
5	412.3	619.4	426.3	615.4	408.3	558.2	393.6	562.2	0.0	4.8
6	560.2	613.6	575.7	608.6	572.8	600.0	557.7	605.0	0.0	5.0
7	388.1	627.0	405.7	622.2	387.2	564.6	370.4	570.2	0.0	4.7
8	362.6	634.6	380.2	629.8	362.6	572.7	345.8	579.1	0.0	4.7
9	338.8	643.0	356.2	637.4	338.8	580.5	321.4	586.1	0.0	4.7
10	313.3	651.9	330.4	646.3	313.9	588.6	295.7	593.4	0.0	4.7
11	289.0	659.2	306.3	653.9	288.4	595.9	272.2	602.1	0.0	4.7

12	352.0	705.9	360.1	727.2	463.4	692.8	455.3	670.9	0.0	5.3
13	464.0	693.9	578.2	658.6	570.1	635.1	455.6	671.2	0.0	5.3
14	318.4	702.3	450.5	660.8	441.0	627.8	309.4	670.9	0.0	6.5
15	454.7	659.7	546.0	630.0	536.8	598.4	440.4	628.9	0.0	6.5

POZIOMY HAŁASU i IZOLACYJNOŚĆ PRZEGRÓD

Nr Źródła		A	63	125	250	500	1000	2000	4000	8000	wsp. odb.
1	sc.1 L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.2	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.3	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.4	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr Źródła		A	63	125	250	500	1000	2000	4000	8000	wsp. odb.
2	sc.1 L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.2	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.3	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.4	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr Źródła		A	63	125	250	500	1000	2000	4000	8000	wsp. odb.
3	sc.1 L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.2	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.3	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.4	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr Źródła		A	63	125	250	500	1000	2000	4000	8000	wsp. odb.
4	sc.1 L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.2	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.3	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.4	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

dach	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====
 Nr Źródła A 63 125 250 500 1000 2000 4000 8000 wsp. odb.
 =====

5	sc.1	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====
 Nr Źródła A 63 125 250 500 1000 2000 4000 8000 wsp. odb.
 =====

6	sc.1	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====
 Nr Źródła A 63 125 250 500 1000 2000 4000 8000 wsp. odb.
 =====

7	sc.1	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====
 Nr Źródła A 63 125 250 500 1000 2000 4000 8000 wsp. odb.
 =====

8	sc.1	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====
 Nr Źródła A 63 125 250 500 1000 2000 4000 8000 wsp. odb.
 =====

```

=====
 9  sc.1  L wew  85.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  1.0000
      R sc   46.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0
    sc.2  L wew  85.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  1.0000
      R sc   46.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0
    sc.3  L wew  85.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  1.0000
      R sc   46.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0
    sc.4  L wew  85.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  1.0000
      R sc   46.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0
    dach  L wew  85.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  1.0000
      R d    25.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0
=====
    
```

```

=====
Nr Źródła      A  63   125   250   500  1000  2000  4000  8000  wsp. odb.
=====
    
```

```

=====
10  sc.1  L wew  85.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  1.0000
      R sc   46.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0
    sc.2  L wew  85.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  1.0000
      R sc   46.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0
    sc.3  L wew  85.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  1.0000
      R sc   46.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0
    sc.4  L wew  85.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  1.0000
      R sc   46.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0
    dach  L wew  85.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  1.0000
      R d    25.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0
=====
    
```

```

=====
Nr Źródła      A  63   125   250   500  1000  2000  4000  8000  wsp. odb.
=====
    
```

```

=====
11  sc.1  L wew  85.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  1.0000
      R sc   46.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0
    sc.2  L wew  85.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  1.0000
      R sc   46.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0
    sc.3  L wew  85.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  1.0000
      R sc   46.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0
    sc.4  L wew  85.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  1.0000
      R sc   46.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0
    dach  L wew  85.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  1.0000
      R d    25.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0
=====
    
```

```

=====
Nr Źródła      A  63   125   250   500  1000  2000  4000  8000  wsp. odb.
=====
    
```

```

=====
12  sc.1  L wew  85.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  1.0000
      R sc   46.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0
    sc.2  L wew  85.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  1.0000
      R sc   46.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0
    sc.3  L wew  85.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  1.0000
      R sc   46.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0
    sc.4  L wew  85.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  1.0000
      R sc   46.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0
    dach  L wew  85.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  1.0000
      R d    25.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0
=====
    
```

```

=====
Nr Źródła      A  63   125   250   500  1000  2000  4000  8000  wsp. odb.
=====
    
```

```

=====
13  sc.1  L wew  85.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  1.0000
      R sc   46.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0
    sc.2  L wew  85.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  1.0000
=====
    
```

	R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.3	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.4	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====
 Nr Źródła A 63 125 250 500 1000 2000 4000 8000 wsp. odb.
 =====

14	sc.1	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====
 Nr Źródła A 63 125 250 500 1000 2000 4000 8000 wsp. odb.
 =====

15	sc.1	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Punkty obserwacji

Nr	Symbol	X[m]	Y[m]	z[m]
1		750.1	723.2	4.0
2		400.6	852.5	4.0
3		472.3	482.6	4.0
4		167.7	590.1	4.0
5		84.5	241.9	4.0
6		108.8	30.7	4.0